

No.552 GARDNER TYPE WASHABILITY TESTER | YASUDA SEIKI SEISAKUSHO LTD. providing you the best material testing equipment.

No.552 GARDNER TYPE WASHABILITY TESTER



JIS-A6909, K3920, (K5400), K5600-5-11, K5660, K5663, K5667, K5668, ISO-11998

- This tester is used to evaluate the washability endurance and moistening abrading endurance of coated film.
- Brushing the coated film back and forth with the prescript brush or grinding pad, the operator is to check the exposure of the basis material due to tears and detritions of the coated film surface and wastage to the coated film.

Specification

Specifications are subject to change without notice.	
Hangings	2 Hangings
Glass Plate	500 × 170 × T3 mm
Brushing Distance	300 ± 5 mm
Brushing Speed	37 ± 2 times/min
Brush	Pig Bristle 60 pcs (5 \times 12), Area 90 \times 38 mm, L19 mm, Mass 450 \pm 1 g
Abrasive Pad (Option)	Material: Nonwoven Plastic, 90 $ imes$ 39 $ imes$ T5 mm, Mass 135 \pm 1 g

Counter	6 Digits Preset Counter
Soap Dropping Device	Needle Valve type
Power Source	AC 100 V, 1-Phase, 15 A, 50/60 Hz
Dimensions/ Weight (Approx.)	W640 × D580 × H540 mm, 80 kg