

Home | Laboratory Equipment | Microscopes and Magnification | Compound Microscopes | Cole-Parmer® MSU-600 Compound Microscopes | "Cole-Parmer MSU-600 Compound Trinocular Microscope, 4/10/40/100x, Darkfield Plan; 100-240 VAC"



Cole-Parmer MSU-600 Compound Trinocular Microscope, 4/10/40/100x, Darkfield Plan; 100-240 VAC

Cole-Parmer - Item # EW-78904-27

No Reviews Write the First Review

Powerful and ergonomic microscopes at an affordable price ideal for life sciences, biomedical research, and universities

- Smooth-operating, revolving nosepiece provides effortless objective changes
- Equipped with a Siedentopf type head with 30° incline for comfort
- A unique rotating system allows ergonomic positioning of both tubes in a high (431 mm) and in a low (397 mm) position
- Special darkfield condenser with reflective cardiod mirrors provides high degree of contrast to easily view samples
- Features a 23.2 mm diameter photo port
- Optical path selector (100:0/50:50) and adjustable ±5 diopter on both tubes
- Extended plan wide field (EWF) 10x/22 mm eyepieces with 22 mm field of view
- Revolving quintuple reversed nosepiece for up to five objectives
- Plan IOS
- 5 year warranty

PRODUCT OPTIONS



Specifications & Description

Magnification	40x/100x/400x/1000x
Maximum Magnification	1000x
Head Configuration	Trinocular
Objectives	4x/10x/40x/100x*, Plan IOS
Eyepiece Diameter (mm)	30
Eyepiece Magnification	10x
Interpupillary Distance	48 to 76 mm
Field of View	22
Stage Dimensions	187/230 x 140 mm rackless stage with integrated 79 x 52 mm X-Y mechanical stage
Illuminator(s)	5 W LED
Power (VAC)	100 to 240
Power (Hz)	50/60
Description	Compound Trinocular Microscope, 4/10/40/100x, Darkfield Plan; 100-240 VAC
Warranty	5 Years



INCLUDES

dust cover, spare fuse, 5 mL immersion oil, and power cord.

KEY FEATURES

- Smooth-operating, revolving nosepiece provides effortless objective changes
- Equipped with a Siedentopf type head with 30° incline for comfort
- A unique rotating system allows ergonomic positioning of both tubes in a high (431 mm) and in a low (397 mm) position
- Special darkfield condenser with reflective cardiod mirrors provides high degree of contrast to easily view samples
- Features a 23.2 mm diameter photo port
- Optical path selector (100:0/50:50) and adjustable ±5 diopter on both tubes
- Extended plan wide field (EWF) 10x/22 mm eyepieces with 22 mm field of view
- Revolving quintuple reversed nosepiece for up to five objectives
- Plan IOS
- 5 year warranty

MORE ABOUT THIS ITEM

Easily focus on your sample using coaxial coarse and fine adjustments. Featuring 200 graduations, you can adjust 1 μ m per graduation and 200 μ m per rotation with total travel of approximately 24 mm. Adjustable rack stop prevents damage to sample and objectives. The coarse adjustment is equipped with friction control.

All models feature LED light for energy efficiency, long life span, and cooler temperature. Built-in sensor automatically turns off illumination shortly after nonuse. Safely transport the microscopes using the integrated carrying handles. Store excess cable in the back of the microscope during use and stow away cable during transport and storage.

Use darkfield microscope to illuminate unstained samples making them appear brightly lit against and the samples Condenser features a reflective cardiod shaped mirrors with an

integrated 5 W LED. Included 4/10/40/100x plan objectives provide up to 1000x magnification. Super contrast S100x oil infinity corrected objective comes with a built-in iris diaphragm.

A photo port with prisms inside the head minimize light absorption making it ideal for digital imaging. Microscope features a $187/230 \times 140 \text{ mm}$ rackless stage equipped with double slide holder and integrated $79 \times 52 \text{ mm}$ X-Y mechanical stage. The rackless stage with no protruding parts allows for smooth movements.

*All optics are anti-fungus treated and anti-reflection coated for maximum light throughput.

Cole-Parmer | 625 East Bunker Ct Vernon Hills, IL 60061 United States
Telephone: 1-847-549-7600 | Fax: 847-549-1700 | Email: export@coleparmer.com
© 2024 Cole-Parmer Instrument Company, LLC. All Rights Reserved.