





Cole-Parmer LB-200-803e Toploading Precision Balance, 800g Capacity x .001g Readability, External Calibration

Cole-Parmer - Item # EW-55000-09

No Reviews [Write the First Review](#)

Performance and style for an impressive weighing experience

- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Sealed keypad protects against dirt and spills
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Parts counting with preset sample sizes
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Auto power-off to save energy
- 5 year warranty



PRODUCT OPTIONS

Specifications & Description

Capacity (g)	800
Width (InchShort)	9
Height (in)	8 2/5
Capacity (kg)	0.8
Readability (g)	1.001
Repeatability (g)	1.001
Linearity (g)	0.004
Weighing Units	mg, g, ct, GN, dr, ozt, dwt, mm, tl.T, tl.H, tl.S, T, custom unit
Calibration Type	Internal
Languages	English, German, French & Spanish
Output	RS-232, USB
USB Interface	Yes
RS-232 Interface	Yes
Stability Indicator	Yes
Stabilization Time (Sec)	3
Auto Shutoff	Yes
Low Battery Indicator	No
Power (VAC)	100 to 240
Length (in)	8 51/64
Pan Diameter (in)	5 45/64
Display Height (in)	1 15/16
Chamber Height (in)	4 1/2
Chamber Width (in)	7 19/32
Chamber Depth (in)	14 45/64
Min Temperature (° C)	15
Max Temperature (° C)	35
Description	



KEY FEATURES

- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Sealed keypad protects against dirt and spills
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Parts counting with preset sample sizes
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Auto power-off to save energy
- 5 year warranty

MORE ABOUT THIS ITEM

LB-200 toploading balances are designed with an array of features and functions that accommodate most lab applications. This range offers improved performance for faster, more accurate readings. With stylish, modern backlighting, the impressive display is easily visible in any lighting condition. The LCD features large, readily discernible 24 mm digits. Multilingual text and display capability make LB-200 well-suited for users in various regions. For simple operation, navigation buttons are color-coded, helping users perform functions with minimal training. LB-200 provides USB and RS-232 interfaces to facilitate data collection and transmission to computers or printers. ABS plastic construction and the rugged grade 304 stainless steel pan are easy to clean and can withstand demanding lab use.

Toploading balances offer a wider range of weighing capacity, from 210 g up to 6000 g.

Toploading Precision
Balance, 410 g Capacity x
0.001 g Readability,
Internal Calibration

Warranty

5 Years

Cole-Parmer | 625 East Bunker Ct Vernon Hills, IL 60061 United States
Telephone: 1-847-549-7600 | Fax: 847-549-1700 | Email: export@coleparmer.com
© 2024 Cole-Parmer Instrument Company, LLC. All Rights Reserved.