

# ST0421 DATA SHEET

# **RF Load 1 Watts To 4 GHz Nickel Plated Brass QMA** Male

RF termination (also called RF load or dummy load) ST0421 from Fairview Microwave operates from DC to 4 GHz and handles up to 1 Watt (CW). This QMA termination (or load) has a male gender. ST0421 QMA load termination offers 1.15:1 max VSWR.

RF terminations / loads are critical passive components in many RF, microwave and millimeter wave systems where signal reflection from unused ports can reduce the signal integrity can potentially damage the device. By terminating an unused port with a matched load (dummy load), the incident energy will be absorbed with minimal reflection. These radio frequency termination components are commonly used to terminate devices such as couplers, circulators, and switches. Loads / terminations are also widely used in measurement systems to ensure accurate results. Fairview offers a large selection of in-stock RF, microwave and millimeter wave terminations up to 65 GHz with great performance over the entire operating range and with power handling capabilities up to 800 Watts (CW).

## **Electrical Specifications**

Description	Min	Тур	Max	Units
Frequency Range	DC		4	GHz
Impedance		50		Ohms
VSWR			1.15:1	
Input Power (CW)			1	Watts
derated linearly to 0.1W	at +125°C			
Input Power (Peak)			250	Watts
5µs pulse, 0.4% duty cyc	le			

## **Mechanical Specifications**

Size	
Length	0.93 in [23.62 mm]
Width	0.41 in [10.41 mm]
Weight	0.0165 lbs [7.48 g]

## Configuration

Connector

Material Specifications

Description	Material	Plating		
Connector 1 Contact	Brass	Gold MIL-G-45204		
Body	Brass	Nickel		
Housing	Brass	Nickel		

## **Environmental Specifications**

**Temperature** Operating Range

-55 to +125 deg C

QMA Male



## Features:

- DC to 4 GHz Frequency Range
- VSWR 1.15:1 Max
- Max Power 1 Watt (CW)
- QMA Male Coaxial Interface

## **Applications:**

- Wireless
- SatCom
- Radar Systems
- Test and Measurement
- Commercial and Military
  Communication

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com






### Compliance Certifications (visit www.FairviewMicrowave.com for current document)

RoHS Compliant REACH Compliant Yes 12/17/2015

## **Plotted and Other Data**

Notes:

#### **Typical Performance Data**



RF Load 1 Watts To 4 GHz Nickel Plated Brass QMA Male from Fairview Microwave is in-stock and available to ship sameday. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: RF Load 1 Watts To 4 GHz Nickel Plated Brass QMA Male ST0421


URL: https://www.fairviewmicrowave.com/rf-load-1-watts-4-ghz-gma-male-st0421-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.

1130 Junction Dr. #100 Allen, TX 75013 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689







\*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

FAIRVIEW MICROWAVE INC.	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
RF Load 1 Watts To 4 GHz Nickel Plated Brass QMA	DWG NO ST0421		(	CAGE CODE 3FKR5		
Male	CAD FILE 070816	SHEET	SCALE	N/A	SIZE A	3045

1130 Junction Dr. #100 Allen, TX 75013 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689