

# Product Data Sheet - EcoFilm



An ITW Company



## Product Description

Teknek adhesive rolls (Filmic base) for Clean Machines – This product consists of an acrylic, pressure sensitive adhesive, coated on an oxydegradable PP base. The filmic base has an inherent release characteristic which allows the product to be presented as a self wound adhesive roll.

**Product Use** Cleans the elastomer rollers in a clean machine.

**Product codes** Teknek EcoFilm adhesive roll product is the silicone free adhesive roll system designed for use with the Teknek range of contact cleaning rollers. It uses the following product codes —HAREF, MAREF, AREF, XAREF

## Storage

Adhesive must be stored in their original packaging, until installation, to exclude light.

- General—keep away from heat and sources of ignition.
- Storage Temperature—ideal temperature 23+/- 2 degrees Celsius
- Humidity- ideal 40-60% relative humidity
- Shelf Life—6 months

## Product Disposal

The product can be incinerated or added to landfill in accordance with local regulations

Note :- the plastic core will burn to form mainly CO<sup>2</sup> or CO. The adhesive roll will burn in the event of contact with flames. (Fumes may be given off by the acrylic adhesive and the film but no special fire equipment is required.) Fires may be extinguished with water provided that there is no electrical equipment in the vicinity.

**Packaging disposal** Packaging should be disposed of in accordance with regional and / or national regulations

## Health and Safety

These products are unlikely to cause harmful effects under normal conditions of handling and use. The film edge can have sharp edges which could cause cuts.

The EcoFilm complies with the standard ASTM D 6954-04

## Further information:-

The information supplied in this Product Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

## WORLD LEADER IN CONTACT CLEANING

 **Teknek Head Office**  
River Drive  
Inchinnan Business Park  
Renfrewshire, PA4 9RT  
Scotland, UK


T: +44 (0)141 568 8100  
F: +44 (0)141 568 8101

 **Teknek Japan Ltd**  
1-2-4, Minatojima-Nakamachi,  
Chuo-ku,  
Kobe 650-0046  
Japan

T: +81 (0)78 304 5780  
F: +81 (0)78 304 5781

 **Teknek China Ltd**  
1505 Haitong Security Building  
No. 689 Guangdong Road,  
Huangpu Area, Shanghai  
China 200001

T: +86 (0)21 3311 0329  
F: +86 (0)21 3311 0330

 **Teknek (Simco-Ion)**  
2257 North Penn Road  
Hatfield,  
PA 19440  
USA

T: +1 215 822 6401  
E: [ussales@teknek.com](mailto:ussales@teknek.com)

[www.teknek.com](http://www.teknek.com)

Manufacturer reserves the right to change the machine specification without notice

SD0000