

Multi-purpose Textile Flammability Testing Equipment with 0°/22.5°/90° Burner

Angle





Product Details:

• Place of Origin: China

Brand Name: YUYANG

Certification: GB/T 54568746BS EN ISO 69406941 EN ISO 15025BS 5438

Model Number: YY124

Payment & Shipping Terms:

Minimum Order Quantity: 1 set

• Price: Negotiation

Packaging Details: Plywood Box

• Delivery Time: 10-15 work days

Payment Terms: T/T L/C Western Union

Supply Ability: 2 sets per month

Share to :

Multi-purpose Textile Flammability Testing Equipment with 0°/22.5°/90° Burner Angle

Description:

This textile flammability tester machine is used to test the flame spread performance of single-or multi-component (coating, quilted, multi-layered, laminated products and similar combinations) including clothing, curtains, draperies and large tent awning and door cover textile at vertical condition.

Main Parameters:

Test sample: 560mmx170mm Flame level: 0~60mm adjustable

Burner angle: included angle with level line:0°/22.5°/90°adjustable

Firing time: 5 s

Burning gas: butagas

Size(WxDxH): 93x65x88cm

Weight:≈30Kg

Power:1∮ AC 220V 50Hz

Applied standards: GB/T 5456,8746,BS EN ISO 6940,6941, EN ISO 15025,BS 5438,

Accessories:

sample holders, Flame gauge 40mm 1pcs, 25mm 1pcs (ISO 6940,6941), Burner position pointer 2pcs (ISO 6940,6941), clamps 2 set, weights 8 pcs, Micro gas tank control device, Micro gas cylinders, power line 1pcs; Power converter(change power 110V 60Hz to 220V 50 Hz)

Gross weight after plywood box package: 50kg, Total size: 115*80*105cm