



### **Portable Industrial Endoscope PCE-RVE 30**

**Portable Industrial Endoscope for craft and development / Video- and photography function / diameter 3,9 mm / with stiff tip (33 cm length)**

The portable industrial endoscope PCE-RVE 30 is the absolute optimum for referees, maintenance engineers and development engineers. You can examine the inner workings of a machine and equipments with the portable industrial endoscope without dismount them before. Furthermore images and industrial cut scenes of devices you have to examine can be saved directly at the instrument and be uploaded on the PC later. The ideal tool for maintenance and operations in industrial firms or workshops. Never before there was an optical analysis with concurrently documentation with a portable industrial endoscope as easy and as cheap. Please also note the portable industrial endoscope's measuring rod with the minor diameter of 3.9 mm. This allows you to penetrate into smallest devices. By means of the two implemented LEDs the workspace of the portable industrial endoscope will be illuminated very well, so optimal results can be achieved. In addition to that noises can be taken by the portable industrial endoscope for a better analysis at PC. In case you have any questions about the Portable Industrial Endoscope PCE-RVE 30, please consult the technical data bellow or contact us: 🇬🇧 **UK customers** +44(0) 23 809 870 30 / 🇺🇸 **US customers** +1-410-387-7703. Our technicians and engineers will be pleased to advise you on all [portable industrial endoscope](#) and any other products of our [regulation and control systems](#), [meters](#) or [scales](#) of [PCE Instruments UK](#).



- able to save on a SD-Card
- with a cable length from 3 m
- with a stiff tip / 33 cm length

- diameter is only 3.9 mm
- industrial and photography
- with 2 LEDs

#### Technical specifications

Flexible cable length	3000 mm
Resolution / Image sensor	320 x 240
Images turnable	Up to 360 °
Audio recording	Yes
Display	3,5 " TFT-Display
Resolution / Display	640 x 480
Zoom	5x
Exposure	adjustable
Sharp range	30 ... 80 mm
Illumination	2 LEDs
Cable diameter	3.9 mm
Interface	USB 1.1 and AV out
Storage	SD-Card (not incl.)
Compression format	MPEG4
Image format	JPEG (320 x 240)
Industrial output format	NTSC & PAL
Power supply	4 x AA Type
Operating time	4 ... 6 hours
Save of housing	IP 67
OSD-language	German, English, Chinese



Portable Industrial Endoscope PCE-RVE 30 in usage.

**Delivery content**

1 x portable Industrial endoscope PCE-RVE 30, 1 x USB-cable, 1 x AV-cable, 4 x AA batteries,  
1 x User's manual