

VELP Scientifica Solutions for Heating & Stirring - ARE/AREX Series



ARE



AREX



AREX with VTF - Package



AREX with VTF EVO - Package



AREX DIGITAL with Probe - Package



AREX DIGITAL PRO with VTF - Package



AREX DIGITAL PRO with VTF EVO - Package

Construction material		Epoxy painted aluminum structure						
Heating plate		Aluminum alloy	CerAlTop™	CerAlTop™	CerAlTop™	CerAlTop™	CerAlTop™	CerAlTop™
Heating plate dimensions	mm	Ø 155						
	(in)	Ø 6.1						
Stirring speed rpm		up to 1500						
SpeedServo™ Counter-reaction		•	•	•	•	•	•	•
Stirring volume L		up to 15	up to 20					
Temperature regulation °C		Room Temp. to 370						
Overtemperature protection		•	•	•	•	•	•	•
Probe (Pt100) connection						• (Pt100 included)		•
Vertex connection			•	• (VTF included)	• (VTF EVO included)		• (VTF included)	• (VTF EVO included)
Digital display						•		•
Dimensions (WxHxD)	mm	165x115x280	165x115x280	165x630x280 *	165x630x280 *	165x115x280	165x630x280 *	165x630x280 *
	(in)	(6.5x4.5x11.0)	(6.5x4.5x11.0)	(6.5x24.8x11.0)	(6.5x24.8x11.0)	(6.5x4.5x11.0)	(6.5x24.8x11.0)	(6.5x24.8x11.0)
Weight	Kg	2.6	2.6	2.7	2.7	2.6	2.7	2.7
	(lb)	(5.7)	(5.7)	(5.9)	(5.9)	(5.7)	(5.9)	(5.9)
Power Supply		115 or 230 V						
Power		630 W						

* support rod (A00001069) included * support rod (A00001069) included

* support rod (A00001069) included * support rod (A00001069) included



www.velp.com