



Box-type UV weathering test box H-NC100

Release date：2020-06-03

-
- Details

箱式紫外线耐候试验箱

H-NC100



1. 产品用途

紫外线耐候试验箱适用于涂料油墨油漆、树脂、塑料塑胶、印刷包装、粘合剂、汽车摩托车工业、化妆品、金属、电子、电镀、医药等的耐候老化试验。

3. 产品参数

1. 内箱尺寸：W1140×H600×D620（㎜）
2. 外箱尺寸:W1300×H1630×D700(㎜)
3. 温度范围:RT+10℃→70℃
4. 升温时间：約 30 分钟
5. 控制精度:±0.5℃ 计时：1s～9999h
6. 波长范围：UVA 范围为 315-400nm;UVB 范围为 280-315nm
7. 灯　　源：进口 UVA-340/UVB-313 紫外灯管 8 支
8. 灯源至试件距离：50～550㎜ 可调
9. 内箱体材质：SUS304# 不锈钢。
10. 电源：220V 功率 4.5KW

Recommended

- 

  Automatic tool metallographic measuring instrument V400

- 

  Automatic tool metallographic measuring instrument V800

- 

Automatic tool metallographic measuring instrument V1800

- 

Automatic tool metallographic measuring instrument V2000

GUANGDONG JINUOSH TECHNOLOGY CO., LTD

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong Province 0769-2282-0867

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong Province Service Hotline: 188-9871-9887 0769-22820867